

ROBUST TOOL REST SELECTION

| YOUR LATHE | TOOL RESTS | MODEL NUMBER |
|--|--------------------------------------|---------------------------------|
| Most Mini and Midi lathes with 5/8" diameter posts. - Jet Mini 1015 & 1221 - All Delta Mini and Midi Lathes - General Maxi Lathe - Rikon Mini (BUT NOT Rikon Midi) - Grizzly 10" & 12" - Nova Comet | Mini Box Rest | RTR-BOXR-MN-AS |
| | Mini Rest, 3" Wide | RTR-03-MN-SD-AS |
| | Mini Rest, 4" Wide | RTR-04-MN-SD-AS |
| | Mini Rest, 6" Wide | RTR-06-MN-SD-AS |
| | Mini Rest, 9" Wide | RTR-09-MN-SD-AS |
| | Mini Rest, 12" Wide | RTR-12-MN-SD-AS |
| | J-Curved, 9" Wide, Mini Rest | RTR-09-SJ-MN-AS |
| Most 10" and 12" Lathes with 3/4" diameter posts. - Oneway 1018 - Shopsmith | SPECIAL ORDER | SPECIAL ORDER |
| Most 12" Lathes with 1" diameter posts. - Rikon Midi - Older Delta/Rockwell - Oneway 1224 & 1236 | Low Profile, 3" Wide, Short Post | RTR-03-LP-SH-AS |
| | Low Profile, 4" Wide, Short Post | RTR-04-LP-SH-AS |
| | Low Profile, 6" Wide, Short Post | RTR-06-LP-SH-AS |
| | Low Profile, 9" Wide, Short Post | RTR-09-LP-SH-AS |
| | Low Profile, 12" Wide, Short Post | RTR-12-LP-SH-AS |
| | J-Curved, 9" Wide, Short Post | RTR-09-SJ-SH-AS |
| | Box Rest Short Post | RTR-BOXR-SH-AS |
| Most 14" Lathes with 1" diameter posts. - Jet 1236 - Older Delta - Jet 1440 & 1442 - Robust Scout - Record Power Herald - Laguna 15/24 & 12/16 - Powermatic PM2014 | Low Profile, 3" Wide, Standard Post | RTR-03-LP-SD-AS |
| | Low Profile, 4" Wide, Standard Post | RTR-04-LP-SD-AS |
| | Low Profile, 6" Wide, Standard Post | RTR-06-LP-SD-AS |
| | Low Profile, 9" Wide, Standard Post | RTR-09-LP-SD-AS |
| | Low Profile, 12" Wide, Standard Post | RTR-12-LP-SD-AS |
| | J-Curved, 9" Wide, Standard Post | RTR-09-SJ-SD-AS |
| | Box Rest Standard Post | RTR-BOXR-SD-AS |
| Most 18, 20, 24, and 25" Lathes with 30mm diameter posts. - Axminster Trade AT508WL NOTE: 30 mm IS SLIGHTLY LARGER THAN 1 INCH. 30 mm. DIAMETER POSTS WILL NOT FIT INTO A BANJO MADE FOR 1 INCH POSTS. | SPECIAL ORDER | SPECIAL ORDER |
| Most 16, 18, 20, 24, and 25" Lathes with 25mm diameter posts. - Most but not all Grizzly 16"-24" - Most but not all Laguna 18"-24" - Most but not all Imported lathes NOTE: 25 mm IS SLIGHTLY SMALLER THAN 1 INCH. 1 INCH DIAMETER POSTS WILL NOT FIT INTO A BANJO MADE FOR 25 mm. | SPECIAL ORDER | SPECIAL ORDER |

| | | |
|--|--|-----------------------------------|
| <p>Most 16" Lathes with 1" diameter posts.</p> <ul style="list-style-type: none"> - Robust Sweet 16, Liberty, Independence & Scout - Record Power Envoy - Jet 1640 & 1642 - Older Delta - Older General - Rikon & Woodfast 16" lathes - Stubby 750 - Nova/TeknaTool All 16" lathes - Oneway 1640 <p>NOTE: THE ONLY EXCEPTION IS THE Oneway 1640. ONLY THE LOW PROFILE TOOL RESTS AND THE 9" J-REST WILL WORK.</p> | Low Profile, 3" Wide, Standard Post | RTR-03-LP-SD-AS |
| | Low Profile, 4" Wide, Standard Post | RTR-04-LP-SD-AS |
| | Low Profile, 6" Wide, Standard Post | RTR-06-LP-SD-AS |
| | Low Profile, 9" Wide, Standard Post | RTR-09-LP-SD-AS |
| | Low Profile, 12" Wide, Standard Post | RTR-12-LP-SD-AS |
| | Comfort, 4" Wide, Standard Post | RTR-04-CR-SD-AS |
| | Comfort, 6" Wide, Standard Post | RTR-06-CR-SD-AS |
| | Comfort, 9" Wide, Standard Post | RTR-09-CR-SD-AS |
| | Comfort, 12" Wide, Standard Post | RTR-12-CR-SD-AS |
| | Comfort, 15" Wide, Standard Post | RTR-15-CR-SD-AS |
| | Interior Curved, 12" Wide, Standard Post | RTR-12-IC-SD-1-AS |
| | Exterior Curved, 12" Wide, Standard Post | RTR-12-EC-SD-AS |
| | J-Curved, 9" Wide, Standard Post | RTR-09-SJ-SD-AS |
| | J-Curved, 14" Wide, Standard Post | RTR-14-SJ-SD-AS |
| | Box Rest Standard Post | RTR-BOXR-SD-AS |
| | <p>Most 18, 20, 24, and 25" Lathes with 1" diameter posts.</p> <ul style="list-style-type: none"> - Record Power Regent - Robust American Beauty - Laguna 24/36 - Jet 1840 - Powermatic 3520 A, B, & C; 4224 A & B - Powermatic PM2020 - Oneway 2016 & 2036 - Oneway 2416 & 2436 - Vicmarc VL300 with 1" banjo - Rikon & Woodfast 20" lathes - General 20" lathes <p>NOTE: THE ONLY EXCEPTION IS THE Oneway 2016 & 2036. ONLY THE LOW PROFILE TOOL RESTS AND THE 9" J-REST WILL WORK.</p> | Low Profile, 3" Wide, Long Post |
| Low Profile, 4" Wide, Long Post | | RTR-04-LP-LO-AS |
| Low Profile, 6" Wide, Long Post | | RTR-06-LP-LO-AS |
| Low Profile, 9" Wide, Long Post | | RTR-09-LP-LO-AS |
| Low Profile, 12" Wide, Long Post | | RTR-12-LP-LO-AS |
| Comfort, 4" Wide, Long Post | | RTR-04-CR-LO-AS |
| Comfort, 6" Wide, Long Post | | RTR-06-CR-LO-AS |
| Comfort, 9" Wide, Long Post | | RTR-09-CR-LO-AS |
| Comfort, 12" Wide, Long Post | | RTR-12-CR-LO-AS |
| Comfort, 15" Wide, Long Post | | RTR-15-CR-LO-AS |
| Interior Curved, 12" Wide, Long Post | | RTR-12-IC-LO-AS |
| Exterior Curved, 12" Wide, Long Post | | RTR-12-EC-LO-AS |
| J-Curved, 9" Wide, Long Post | | RTR-09-SJ-LO-AS |
| J-Curved, 14" Wide, Long Post | | RTR-14-SJ-LO-AS |
| Box Rest Long Post | RTR-BOXR-LO-AS | |

ROBUST POST DIAMETER SPECIFICATIONS

MINI RESTS

| Tool Rest Model Number | Tool Rest Type | Post Diameter | Post Height | Overall Height |
|------------------------|------------------------------|---------------|-------------|----------------|
| RTR-BOXR-MN-AS | Mini Box Rest | 5/8" | 3 1/2" | 4" |
| RTR-03-MN-SD-AS | Mini Rest, 3" Wide | 5/8" | 2 3/4" | 4 1/4" |
| RTR-04-MN-SD-AS | Mini Rest, 4" Wide | 5/8" | 2 3/4" | 4 1/4" |
| RTR-06-MN-SD-AS | Mini Rest, 6" Wide | 5/8" | 2 3/4" | 4 1/4" |
| RTR-09-MN-SD-AS | Mini Rest, 9" Wide | 5/8" | 2 3/4" | 4 1/4" |
| RTR-12-MN-SD-AS | Mini Rest, 12" Wide | 5/8" | 2 3/4" | 4 1/4" |
| RTR-09-SJ-MN-AS | J-Curved, 9" Wide, Mini Rest | 5/8" | 2 5/8" | 4" |

BOX RESTS

| Tool Rest Model Number | Tool Rest Width and Post Type | Post Diameter | Post Height | Overall Height |
|------------------------|-------------------------------|---------------|-------------|----------------|
| RTR-BOXR-SH-AS | Box Rest Short Post | 1" | 3 1/2" | 4" |
| RTR-BOXR-SD-AS | Box Rest Standard Post | 1" | 4 5/8" | 5 1/8" |
| RTR-BOXR-LO-AS | Box Rest Long Post | 1" | 6 1/8" | 6 5/8" |

INTERNAL AND EXTERNAL CURVED RESTS

| Tool Rest Model Number | Tool Rest Width and Post Type | Post Diameter | Post Height | Overall Height |
|------------------------|--|---------------|-------------|----------------|
| RTR-12-IC-SD-1-AS | Interior Curved, 12" Wide, Standard Post | 1" | 3 1/8" | 5 7/8" |
| RTR-12-EC-SD-AS | Exterior Curved, 12" Wide, Standard Post | 1" | 3 1/2" | 5 7/8" |
| RTR-12-IC-LO-AS | Interior Curved, 12" Wide, Long Post | 1" | 4 5/8" | 7 3/8" |
| RTR-12-EC-LO-AS | Exterior Curved, 12" Wide, Long Post | 1" | 5" | 7 3/8" |

14" and 9" J-RESTS

| Tool Rest Model Number | Tool Rest Width and Post Type | Post Diameter | Post Height | Overall Height |
|------------------------|-----------------------------------|---------------|-------------|----------------|
| RTR-09-SJ-SH-AS | J-Curved, 9" Wide, Short Post | 1" | 2 3/4" | 4 1/8" |
| RTR-09-SJ-SD-AS | J-Curved, 9" Wide, Standard Post | 1" | 3 5/8" | 5" |
| RTR-09-SJ-LO-AS | J-Curved, 9" Wide, Long Post | 1" | 5 1/8" | 6 1/2" |
| RTR-14-LJ-SD-AS | J-Curved, 14" Wide, Standard Post | 1" | 3 1/2" | 5 3/4" |
| RTR-14-LJ-LO-AS | J-Curved, 14" Wide, Long Post | 1" | 5" | 7 1/4" |

COMFORT RESTS

| Tool Rest Model Number | Tool Rest Width and Post Type | Post Diameter | Post Height | Overall Height |
|------------------------|---------------------------------------|---------------|-------------|----------------|
| RTR-04-CR-SD-AS | Comfort Rest, 4" Wide, Standard Post | 1" | 3 ¾" | 5 7/8" |
| RTR-06-CR-SD-AS | Comfort Rest, 6" Wide, Standard Post | 1" | 3 ¾" | 5 7/8" |
| RTR-09-CR-SD-AS | Comfort Rest, 9" Wide, Standard Post | 1" | 3 ¾" | 5 7/8" |
| RTR-12-CR-SD-AS | Comfort Rest, 12" Wide, Standard Post | 1" | 3 ¾" | 5 7/8" |
| RTR-15-CR-SD-AS | Comfort Rest, 15" Wide, Standard Post | 1" | 3 ¾" | 5 7/8" |
| RTR-04-CR-LO-AS | Comfort Rest, 4" Wide, Long Post | 1" | 5 ¼" | 7 3/8" |
| RTR-06-CR-LO-AS | Comfort Rest, 6" Wide, Long Post | 1" | 5 ¼" | 7 3/8" |
| RTR-09-CR-LO-AS | Comfort Rest, 9" Wide, Long Post | 1" | 5 ¼" | 7 3/8" |
| RTR-12-CR-LO-AS | Comfort Rest, 12" Wide, Long Post | 1" | 5 ¼" | 7 3/8" |
| RTR-15-CR-LO-AS | Comfort Rest, 15" Wide, Long Post | 1" | 5 ¼" | 7 3/8" |

LOW PROFILE RESTS

| Tool Rest Model Number | Tool Rest Width and Post Type | Post Diameter | Post Height | Overall Height |
|------------------------|--------------------------------------|---------------|-------------|----------------|
| RTR-03-LP-SH-AS | Low Profile, 4" Wide, Short Post | 1" | 2 ¾" | 4 1/4" |
| RTR-04-LP-SH-AS | Low Profile, 6" Wide, Short Post | 1" | 2 ¾" | 4 1/4" |
| RTR-06-LP-SH-AS | Low Profile, 9" Wide, Short Post | 1" | 2 ¾" | 4 1/4" |
| RTR-09-LP-SH-AS | Low Profile, 12" Wide, Short Post | 1" | 2 ¾" | 4 1/4" |
| RTR-12-LP-SH-AS | Low Profile, 4" Wide, Short Post | 1" | 2 ¾" | 4 1/4" |
| RTR-03-LP-SD-AS | Low Profile, 3" Wide, Standard Post | 1" | 3 ¾" | 5 1/4" |
| RTR-04-LP-SD-AS | Low Profile, 4" Wide, Standard Post | 1" | 3 ¾" | 5 1/4" |
| RTR-06-LP-SD-AS | Low Profile, 6" Wide, Standard Post | 1" | 3 ¾" | 5 1/4" |
| RTR-09-LP-SD-AS | Low Profile, 9" Wide, Standard Post | 1" | 3 ¾" | 5 1/4" |
| RTR-12-LP-SD-AS | Low Profile, 12" Wide, Standard Post | 1" | 3 ¾" | 5 1/4" |
| RTR-03-LP-LO-AS | Low Profile, 3" Wide, Long Post | 1" | 5 ¼" | 6 3/4" |
| RTR-04-LP-LO-AS | Low Profile, 4" Wide, Long Post | 1" | 5 ¼" | 6 3/4" |
| RTR-06-LP-LO-AS | Low Profile, 6" Wide, Long Post | 1" | 5 ¼" | 6 3/4" |
| RTR-09-LP-LO-AS | Low Profile, 9" Wide, Long Post | 1" | 5 ¼" | 6 3/4" |
| RTR-12-LP-LO-AS | Low Profile, 12" Wide, Long Post | 1" | 5 ¼" | 6 3/4" |