



ROBUST TOOL REST SELECTION

YOUR LATHE	TOOL RESTS	MODEL NUMBER
Most Mini and Midi lathes with 5/8" diameter posts. - Jet Mini 1015 & 1221 - All Delta Mini and Midi Lathes - General Maxi Lathe - Rikon Mini (BUT NOT Rikon Midi) - Grizzly 10" & 12" - Nova Comet	Mini Box Rest	RTR-BOXR-MN-AS
	Mini Rest, 3" Wide	RTR-03-MN-SD-AS
	Mini Rest, 4" Wide	RTR-04-MN-SD-AS
	Mini Rest, 6" Wide	RTR-06-MN-SD-AS
	Mini Rest, 9" Wide	RTR-09-MN-SD-AS
	Mini Rest, 12" Wide	RTR-12-MN-SD-AS
	J-Curved, 9" Wide, Mini Rest	RTR-09-SJ-MN-AS
Most 10" and 12" Lathes with 3/4" diameter posts. - Oneway 1018 - Shopsmith	SPECIAL ORDER	SPECIAL ORDER
Most 12" Lathes with 1" diameter posts. - Rikon Midi - Older Delta/Rockwell - Oneway 1224 & 1236	Low Profile, 3" Wide, Short Post	RTR-03-LP-SH-AS
	Low Profile, 4" Wide, Short Post	RTR-04-LP-SH-AS
	Low Profile, 6" Wide, Short Post	RTR-06-LP-SH-AS
	Low Profile, 9" Wide, Short Post	RTR-09-LP-SH-AS
	Low Profile, 12" Wide, Short Post	RTR-12-LP-SH-AS
	J-Curved, 9" Wide, Short Post	RTR-09-SJ-SH-AS
	Box Rest Short Post	RTR-BOXR-SH-AS
Most 14" Lathes with 1" diameter posts. - Jet 1236 - Older Delta - Jet 1440 & 1442 - Robust Scout - Record Power Herald - Laguna 15/24 & 12/16 - Powermatic PM2014	Low Profile, 3" Wide, Standard Post	RTR-03-LP-SD-AS
	Low Profile, 4" Wide, Standard Post	RTR-04-LP-SD-AS
	Low Profile, 6" Wide, Standard Post	RTR-06-LP-SD-AS
	Low Profile, 9" Wide, Standard Post	RTR-09-LP-SD-AS
	Low Profile, 12" Wide, Standard Post	RTR-12-LP-SD-AS
	J-Curved, 9" Wide, Standard Post	RTR-09-SJ-SD-AS
	Box Rest Standard Post	RTR-BOXR-SD-AS
Most 18, 20, 24, and 25" Lathes with 30mm diameter posts. - Axminster Trade AT508WL NOTE: 30 mm IS SLIGHTLY LARGER THAN 1 INCH. 30 mm. DIAMETER POSTS WILL NOT FIT INTO A BANJO MADE FOR 1 INCH POSTS.	SPECIAL ORDER	SPECIAL ORDER
Most 16, 18, 20, 24, and 25" Lathes with 25mm diameter posts. - Most but not all Grizzly 16"-24" - Most but not all Laguna 18"-24" - Most but not all Imported lathes NOTE: 25 mm IS SLIGHTLY SMALLER THAN 1 INCH. 1 INCH DIAMETER POSTS WILL NOT FIT INTO A BANJO MADE FOR 25 mm.	SPECIAL ORDER	SPECIAL ORDER

Most 16" Lathes with 1" diameter posts. - Robust Sweet 16, Liberty, Independence & Scout - Record Power Envoy - Jet 1640 & 1642 - Older Delta - Older General - Rikon & Woodfast 16" lathes - Stubby 750 - Nova/TeknaTool All 16" lathes - Oneway 1640 NOTE: THE ONLY EXCEPTION IS THE Oneway 1640. ONLY THE LOW PROFILE TOOL RESTS AND THE 9" J-REST WILL WORK.	Low Profile, 3" Wide, Standard Post	RTR-03-LP-SD-AS
	Low Profile, 4" Wide, Standard Post	RTR-04-LP-SD-AS
	Low Profile, 6" Wide, Standard Post	RTR-06-LP-SD-AS
	Low Profile, 9" Wide, Standard Post	RTR-09-LP-SD-AS
	Low Profile, 12" Wide, Standard Post	RTR-12-LP-SD-AS
	Comfort, 4" Wide, Standard Post	RTR-04-CR-SD-AS
	Comfort, 6" Wide, Standard Post	RTR-06-CR-SD-AS
	Comfort, 9" Wide, Standard Post	RTR-09-CR-SD-AS
	Comfort, 12" Wide, Standard Post	RTR-12-CR-SD-AS
	Comfort, 15" Wide, Standard Post	RTR-15-CR-SD-AS
	Interior Curved, 12" Wide, Standard Post	RTR-12-IC-SD-1-AS
	Exterior Curved, 12" Wide, Standard Post	RTR-12-EC-SD-AS
	J-Curved, 9" Wide, Standard Post	RTR-09-SJ-SD-AS
	J-Curved, 14" Wide, Standard Post	RTR-14-SJ-SD-AS
	Box Rest Standard Post	RTR-BOXR-SD-AS
	Shear Scrape, 6" Wide, Standard Post	RTR-06-SS-SD-AS
	Shear Scrape, 9" Wide, Standard Post	RTR-09-SS-SD-AS
	Shear Scrape, 12" Wide, Standard Post	RTR-12-SS-SD-AS
	S-Curved, 9" Wide, Standard Post	RTR-09-SC-SD-AS
	S-Curved, 14" Wide, Standard Post	RTR-14-SC-SD-AS
Most 18, 20, 24, and 25" Lathes with 1" diameter posts. - Record Power Regent - Robust American Beauty - Laguna 24/36 - Jet 1840 - Powermatic 3520 A, B, & C; 4224 A & B - Powermatic PM2020 - Oneway 2016 & 2036 Oneway 2416 & 2436 - Vicmarc VL300 with 1" banjo - Rikon & Woodfast 20" lathes - General 20" lathes NOTE: THE ONLY EXCEPTION IS THE Oneway 2016 & 2036. ONLY THE LOW PROFILE TOOL RESTS AND THE 9" J-REST WILL WORK.	Low Profile, 3" Wide, Long Post	RTR-03-LP-LO-AS
	Low Profile, 4" Wide, Long Post	RTR-04-LP-LO-AS
	Low Profile, 6" Wide, Long Post	RTR-06-LP-LO-AS
	Low Profile, 9" Wide, Long Post	RTR-09-LP-LO-AS
	Low Profile, 12" Wide, Long Post	RTR-12-LP-LO-AS
	Comfort, 4" Wide, Long Post	RTR-04-CR-LO-AS
	Comfort, 6" Wide, Long Post	RTR-06-CR-LO-AS
	Comfort, 9" Wide, Long Post	RTR-09-CR-LO-AS
	Comfort, 12" Wide, Long Post	RTR-12-CR-LO-AS
	Comfort, 15" Wide, Long Post	RTR-15-CR-LO-AS
	Interior Curved, 12" Wide, Long Post	RTR-12-IC-LO-AS
	Exterior Curved, 12" Wide, Long Post	RTR-12-EC-LO-AS
	J-Curved, 9" Wide, Long Post	RTR-09-SJ-LO-AS
	J-Curved, 14" Wide, Long Post	RTR-14-SJ-LO-AS
	Box Rest Long Post	RTR-BOXR-LO-AS
	Shear Scrape, 6" Wide, Long Post	RTR-06-SS-LO-AS
	Shear Scrape, 9" Wide, Long Post	RTR-09-SS-LO-AS
	Shear Scrape, 12" Wide, Long Post	RTR-12-SS-LO-AS
	S-Curved, 9" Wide, Long Post	RTR-09-SC-LO-AS
	S-Curved, 14" Wide, Long Post	RTR-14-SC-LO-AS

ROBUST POST DIAMETER SPECIFICATIONS

MINI RESTS

Tool Rest Model Number	Tool Rest Type	Post Diameter	Post Height	Overall Height
RTR-BOXR-MN-AS	Mini Box Rest	5/8"	3 ½"	4"
RTR-03-MN-SD-AS	Mini Rest, 3" Wide	5/8"	2 ¾"	4 ¼"
RTR-04-MN-SD-AS	Mini Rest, 4" Wide	5/8"	2 ¾"	4 ¼"
RTR-06-MN-SD-AS	Mini Rest, 6" Wide	5/8"	2 ¾"	4 ¼"
RTR-09-MN-SD-AS	Mini Rest, 9" Wide	5/8"	2 ¾"	4 ¼"
RTR-12-MN-SD-AS	Mini Rest, 12" Wide	5/8"	2 ¾"	4 ¼"
RTR-09-SJ-MN-AS	J-Curved, 9" Wide, Mini Rest	5/8"	2 5/8"	4"

BOX RESTS

Tool Rest Model Number	Tool Rest Width and Post Type	Post Diameter	Post Height	Overall Height
RTR-BOXR-SH-AS	Box Rest Short Post	1"	3 ½"	4"
RTR-BOXR-SD-AS	Box Rest Standard Post	1"	4 5/8"	5 1/8"
RTR-BOXR-LO-AS	Box Rest Long Post	1"	6 1/8"	6 5/8"

INTERNAL AND EXTERNAL CURVED RESTS

Tool Rest Model Number	Tool Rest Width and Post Type	Post Diameter	Post Height	Overall Height
RTR-12-IC-SD-1-AS	Interior Curved, 12" Wide, Standard Post	1"	3 1/8"	5 7/8"
RTR-12-EC-SD-AS	Exterior Curved, 12" Wide, Standard Post	1"	3 ½"	5 7/8"
RTR-12-IC-LO-AS	Interior Curved, 12" Wide, Long Post	1"	4 5/8"	7 3/8"
RTR-12-EC-LO-AS	Exterior Curved, 12" Wide, Long Post	1"	5"	7 3/8"

14" and 9" J-RESTS

Tool Rest Model Number	Tool Rest Width and Post Type	Post Diameter	Post Height	Overall Height
RTR-09-SJ-SH-AS	J-Curved, 9" Wide, Short Post	1"	2 ¾"	4 1/8"
RTR-09-SJ-SD-AS	J-Curved, 9" Wide, Standard Post	1"	3 5/8"	5"
RTR-09-SJ-LO-AS	J-Curved, 9" Wide, Long Post	1"	5 1/8"	6 ½"
RTR-14-LJ-SD-AS	J-Curved, 14" Wide, Standard Post	1"	3 ½"	5 ¾"
RTR-14-LJ-LO-AS	J-Curved, 14" Wide, Long Post	1"	5"	7 ¼"

COMFORT RESTS

Tool Rest Model Number	Tool Rest Width and Post Type	Post Diameter	Post Height	Overall Height
RTR-04-CR-SD-AS	Comfort Rest, 4" Wide, Standard Post	1"	3 ¾"	5 7/8"
RTR-06-CR-SD-AS	Comfort Rest, 6" Wide, Standard Post	1"	3 ¾"	5 7/8"
RTR-09-CR-SD-AS	Comfort Rest, 9" Wide, Standard Post	1"	3 ¾"	5 7/8"
RTR-12-CR-SD-AS	Comfort Rest, 12" Wide, Standard Post	1"	3 ¾"	5 7/8"
RTR-15-CR-SD-AS	Comfort Rest, 15" Wide, Standard Post	1"	3 ¾"	5 7/8"
RTR-04-CR-LO-AS	Comfort Rest, 4" Wide, Long Post	1"	5 ¼"	7 3/8"
RTR-06-CR-LO-AS	Comfort Rest, 6" Wide, Long Post	1"	5 ¼"	7 3/8"
RTR-09-CR-LO-AS	Comfort Rest, 9" Wide, Long Post	1"	5 ¼"	7 3/8"
RTR-12-CR-LO-AS	Comfort Rest, 12" Wide, Long Post	1"	5 ¼"	7 3/8"
RTR-15-CR-LO-AS	Comfort Rest, 15" Wide, Long Post	1"	5 ¼"	7 3/8"

LOW PROFILE RESTS

Tool Rest Model Number	Tool Rest Width and Post Type	Post Diameter	Post Height	Overall Height
RTR-03-LP-SH-AS	Low Profile, 4" Wide, Short Post	1"	2 ¾"	4 1/4"
RTR-04-LP-SH-AS	Low Profile, 6" Wide, Short Post	1"	2 ¾"	4 1/4"
RTR-06-LP-SH-AS	Low Profile, 9" Wide, Short Post	1"	2 ¾"	4 1/4"
RTR-09-LP-SH-AS	Low Profile, 12" Wide, Short Post	1"	2 ¾"	4 1/4"
RTR-12-LP-SH-AS	Low Profile, 4" Wide, Short Post	1"	2 ¾"	4 1/4"
RTR-03-LP-SD-AS	Low Profile, 3" Wide, Standard Post	1"	3 ¾"	5 1/4"
RTR-04-LP-SD-AS	Low Profile, 4" Wide, Standard Post	1"	3 ¾"	5 1/4"
RTR-06-LP-SD-AS	Low Profile, 6" Wide, Standard Post	1"	3 ¾"	5 1/4"
RTR-09-LP-SD-AS	Low Profile, 9" Wide, Standard Post	1"	3 ¾"	5 1/4"
RTR-12-LP-SD-AS	Low Profile, 12" Wide, Standard Post	1"	3 ¾"	5 1/4"
RTR-03-LP-LO-AS	Low Profile, 3" Wide, Long Post	1"	5 ¼"	6 3/4"
RTR-04-LP-LO-AS	Low Profile, 4" Wide, Long Post	1"	5 ¼"	6 3/4"
RTR-06-LP-LO-AS	Low Profile, 6" Wide, Long Post	1"	5 ¼"	6 3/4"
RTR-09-LP-LO-AS	Low Profile, 9" Wide, Long Post	1"	5 ¼"	6 3/4"
RTR-12-LP-LO-AS	Low Profile, 12" Wide, Long Post	1"	5 ¼"	6 3/4"

14" and 9" S-RESTS

Tool Rest Model Number	Tool Rest Width and Post Type	Post Diameter	Post Height	Overall Height
RTR-09-SC-SD-AS	S-Curved, 9" Wide, Standard Post	1"	3 5/8"	5 3/8"
RTR-09-SC-LO-AS	S-Curved, 9" Wide, Long Post	1"	4 7/8"	6 5/8"
RTR-14-SC-SD-AS	S-Curved, 14" Wide, Standard Post	1"	3 3/8"	6"
RTR-14-SC-LO-AS	S-Curved, 14" Wide, Long Post	1"	4 7/8"	7 1/2"

SHEAR SCRAPE RESTS

Tool Rest Model Number	Tool Rest Width and Post Type	Post Diameter	Post Height	Overall Height
RTR-06-SS-LO-AS	Shear Scrape Rest, 6" Wide, Long Post	1"	5 1/4"	7"
RTR-06-SS-SD-AS	Shear Scrape Rest, 6" Wide, Standard Post	1"	3 3/4"	5 5/8"
RTR-09-SS-LO-AS	Shear Scrape Rest, 9" Wide, Long Post	1"	5 1/4"	7"
RTR-09-SS-SD-AS	Shear Scrape Rest, 9" Wide, Standard Post	1"	3 3/4"	5 5/8"
RTR-12-SS-LO-AS	Shear Scrape Rest, 12" Wide, Long Post	1"	5 1/4"	7"
RTR-12-SS-SD-AS	Shear Scrape Rest, 12" Wide, Standard Post	1"	3 3/4"	5 5/8"